



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

into which, he said, they crawled down as worms do into the ground. The same puppy was again applyed, and it was then (at the second taking off of the puppy) that I made the visit, and saw only one worm got out into the puppy, but a very live and stirring one. Many were afterwards kill'd by injections These worms I affirm, according to my best Knowledge, (and I had the opportunity of comparing them) were of the very *Species* of the *Lumbrici teretes*, which Children familiarly void from the Guts. They were betwixt three and four inches long; all, about the matter, of an equal bigness, as of one brood; something thicker than a Ducks quill; very sharp at both ends; stiff, and exactly round; without incisures, visible at least, and yet could move and twist themselves readily enough. All the difference was in the colour, these being much whiter than any I have seen from the Guts. *Vid. Barthol. in Hist. 60 Cent. 5.* where near twenty worms, as long as my finger, were found in a Lady's arm, probably of this *Species* too.

I beg your pardon for my, &c.

*The Undertakings of Mr. Henry Bond Senior, a famous Teacher of the art of Navigation in London, concerning the Variation of the Variation of the Magnetical compass and the Inclination of the Inclinary Needle; as the Result and Conclusion of 38. years Magnetical Study.*

THE said Mr. Bond can shew the Cause of the Variation of the Variation of the Magnetical Needle or Compass by the Motion of two *Magnetical Poles*; how these Poles are found; and what their Distance is from the Poles of the Earth; what their *Annual Motion* is, and from whence it proceeds.

By Calculation he finds all the *Variations* that have been observed at or near *London* for above 90 years past, and so by consequence it may be found at *London* to the end of the World.

He hath calculated a *Table* of every five minutes of the *Inclination* of the Inclinary Needle; so that by the Needles  
*Incli-*

*Inclination*, and that *Table* , and the *Latitude* of the place, he can find the *Longitude* of any place in world.

By that *Table* also he finds *Mr. Rob. Normans* *Inclination*, which he found *A. 1576* ; and can shew, what will be the *greatest* and *least* *Inclination* of the *Inclinary Needle* in any *Latitude* in the world.

He hath four Examples of finding the *Longitude* by the help of the *Inclinary Needle* ; one at *Balfora* in East-India in the year 1657. Another at *Cape Charles*, on the coast of *Virginia* before that time. The third, at the *Cape of Good Hope*. The fourth, at the *Straights of Magellan*.

So far He : who, 'tis hoped, will shortly by the generosity of some Noble *Virtuoso* or other, recompensing his studies and pains, be induced to discover to others this his knowledg.

*An Extract of a Letter written by Mr. John Templer June 16. 1673. containing some Observations upon a pleasant way of catching Carps.*

— ON Thursday last, Sir *Justinian Isham* invited me to walk with him to his *Fish-ponds*, and to see a boy throw out *Carps* with his hands at any time in the heat of the day. I saw four very large ones, that the boy took. His way was this : He waded into the Pond, and then returning to the sides, he would grope them out in the Sedg or weeds, and, tickling them with his fingers under the belly, quickly remove his fingers to their gills, and throw them out upon the land. And this he did not in a narrow but large pond, of half an Acre of ground, or rather an Acre. In which practise I must note two or three things, that seem observable to me ;

1. *Carps* (and I suppose all other fish that keep near the bottom) keep alwayes in a shoal, although happily there may be more than one company, answerable to the difference of their Sexes ; as in *Deer* at some seasons.

2. When they move from one place to another, they raise the mud in the heat of the day ; and you may easily observe, what